

Sexually Transmitted Infections in Maryland


2019 Snapshot

June 1, 2020

Anticipated publication date for full 2019 STI Annual Report– July 2020




Chlamydia - Reported Cases and Rates, Maryland, 2010 - 2019



- In 2019, the chlamydia rate per 100,000 population was 625.2, an increase of 6.6 percent compared to 2018
- Case counts have been increasing consistently since 2012 with an overall increase of 44 percent over the past 10 years

*2019 incidence rates calculated using 2018 population estimates


Gonorrhea - Reported Cases and Rates, Maryland, 2010 - 2019



- In 2019, the gonorrhea rate per 100,000 population was 191.9, an increase of 12.7 percent compared to 2018
- Case counts in 2019 were over 56 percent higher than they were 10 years ago

*2019 incidence rates calculated using 2018 population estimates

Syphilis - Reported Cases and Rates, Maryland, 2010 - 2019



- Primary and secondary (P&S) syphilis are the infectious stages of syphilis. Later stages are important to track as well, as they contribute to overall syphilis morbidity in Maryland
- 868 cases of P&S syphilis were reported to the Maryland Department of Health in 2019, an 18 percent increase from 2018
- From 2010 to 2019, the rate of P&S syphilis infections increased from 5.7 cases per 100,000 to 14.4, a 153 percent increase overall

*2019 incidence rates calculated using 2018 population estimates